



“Award-Winning, Specialist Independent Insurance Broker for Title Insurance”

THE BUILDING SAFETY ACT 2022 AND OTHER POST-GRENFELL LEGISLATION

20th February 2023

Richard Snape

www.LawSureInsurance.co.uk

ABOUT RICHARD SNAPE

Richard has been the Head of Legal Training at Davitt Jones Bould (DJB) since 2002. He speaks at numerous courses for law societies all over the country, various public courses, in-house seminars within solicitors' firms and has also talked extensively to local authorities and central government bodies. His areas of specialism include both commercial and residential property, in particular in relation to local government law, conveyancing issues, development land, commercial property and incumbrances in relation to land.

ABOUT LAWSURE INSURANCE BROKERS

[LawSure Insurance Brokers](#) are an award winning, leading independent UK based insurance broker specialising in providing title insurance covers. LawSure works with leading solicitors' firms and developers to facilitate all types of property developments and transactions, including finding solutions to complex bespoke issues as well as the more straightforward ones.

Our service is free for all conveyancing practitioners and developers and there is no obligation to take out any of our quotes.

We work with all the major title insurance providers so we can offer the most comprehensive title broking service to our clients. Working with us, you can be confident that we will aim to provide you with the most competitive quote available in the market. Our independent, comprehensive approach means that we satisfy the SRA requirements for insurance mediation as well as the Insurance Distribution Directive (IDD).

We only get paid (by the insurer) if and when a quote is taken up - so our service has to be (and is) first class. We often get asked whether it is more expensive using a broker. It isn't! It is at least the same price, and often cheaper – with the certainty that you are doing the best for your client by LawSure reviewing the market on your behalf, saving you time and money. And all for free.

CONTACT US

If you would like to speak to us to see how we can help or to request a quote, please call our broking team on **01293 880 700** or email us at enquiries@lawsureinsurance.co.uk

OUTCOME FOCUSED TRAINING INFORMATION

Lecture is aimed at: Property professionals and fee earners involved in both contentious and non-contentious property work

Learning Outcome: To give an increased knowledge of the subject matter. To update on current issues, case law and statutory provisions and to be able to apply the knowledge gained in the better provision of a service to the client.

Satisfying Competency Statement Section: B – Technical Legal Practice

For further information please see <http://www.sra.org.uk/competence>

****Disclaimer****

This presentation including answers given in any question and answer session and this accompanying paper are intended for general purposes only and should not be viewed as a comprehensive summary of the subject matter covered. Nothing said in this presentation or contained in this paper constitutes legal or other professional advice and no warranty is given nor liability accepted for the contents of the presentation or accompanying paper. Richard Snape and LawSure Insurance will not accept responsibility for any loss suffered in consequence of reliance on information contained in the presentation or paper.

CONTENTS

BUILDING REGULATIONS AND GRENFELL 1

BUILDING SAFETY ACT 2022..... 2

REGULATORY REFORM (FIRE SAFETY) ORDER 2005 6

THE FIRE SAFETY ACT 2021 8

THE EWS1 FORM AND EXTERNAL CLADDING 9

BUILDING REGULATIONS AND GRENFELL

Prior to the Grenfell Tower disaster the Welsh Government had already introduced a requirement for sprinkler systems in new residential buildings. In December 2018 similar requirements were introduced in England but only for residential buildings of 30 metres or more in height.

Building (Amendment) Regulations 2018

Building (Amendment) (Wales) Regulations 2019

There is also a ban on various types of combustible cladding in relation to buildings more than 18 metres or more in height. This is not retrospective but is under review. The provisions came into force on 28 November 2018 in England and 10 January 2020 in Wales.

The provisions apply when the building contains one or more dwellings including student accommodation, care homes, sheltered housing, hospitals and dormitories, but excluding hostels, hotels and boarding houses.

The regulations apply to external walls and specified attachments although in **R (on the application of the British Blind and Shutter Association) v The Secretary of State for Housing, Communities and Local Government [2019] EWHC 3162** judicial review was successful against the Secretary of State in removing blinds, shutters, awnings and canopies from the regulations. Attached solar panels and balconies still come within the regulations.

The **Building (Amendment) (England) Regulations 2022** were laid before Parliament on 1 June 2022 and came into force on 1 December 2022.

They will:

- Include hotels, hostels and boarding houses within the cladding ban.
- Ban the type of metal composite material used at Grenfell in external walls of all new buildings and buildings undergoing works regardless of height or use.
- Bring curtains and slats of solar shading devices within the ban with a limited exemption for ground floor awnings.

There are also amendments to Approved Document B adding guidance for external walls and balconies for residential buildings between 11 and 18 metres.

BUILDING SAFETY ACT 2022

This was introduced into Parliament on 5 May 2021 as a consequence of the Hackitt Report on Building a Safer Future after Grenfell. It passed through Parliament 26 April 2022 and received the Royal Assent on 28 April 2022. Much of it is not expected to come into force for 12 to 18 months. It is 262 pages long and this is a summary.

Previously, **S.1** of the **Defective Premises Act 1972** provides that there is a claim against the person responsible for defects in a new dwelling. In the case of **Jenson v Faux [2011] EWCA 423** this was held not to include refurbishments. See also **Sportcity v Countryside [2020] EWHC 1591** where rectification works were outside the six year period. Here there was no claim. The new provisions will include refurbishment and rectification work. Previously, there is a six year limitation period in relation to such work. The new provisions will provide for a 30 year limitation period for works completed before the commencement date. This will be retrospective subject to human rights claims. For example, if a defect occurred in 2010 remedial work could be required until 2040. For work after commencement date of the new provisions there will be a 15 year limitation. If the company responsible for the defect no longer exists then the High Court can provide for a Building Liability Order whereby companies within the group may be liable. We do not know the detail of this yet. The rest of these provisions will come into force on 28 June 2022. In addition, **S.38** of the **Building Act 1984** will finally be implemented. This allows anyone suffering loss as a consequence of building regulations breaches to claim damages for personal injury, including mental distress, or damage to property. This will not be retrospective. It comes into force on 28 June 2022. There will be a 15 year limitation period. There is also provision whereby enforcement periods for building regulations breaches may be increased from 1 year to 10 years.

Higher Risk Residential Buildings

The Act will also introduce the Building Safety Regulator who will be a part of the Health and Safety Executive. They will have a general role in relation to building safety, but will also be responsible for building control in higher risk residential buildings. A high risk residential building is one with at least one dwelling which is at 18 metres or more in height or, if less than 18 metres, which has 7 or more storeys. Such a building will have an accountable person who has a legal estate in possession in the common parts or is responsible for repair of the common parts. This will include any Right to Manage Company and any Residents Management Company if there is more than one accountable person then there will be a principal accountable person. A residents' panel must be constituted and the accountable person must listen to health and safety complaints. They will have to produce reports to the Regulator and keep records in relation to health and safety and report any fire safety or structural safety problems that have occurred. Originally, there was meant to be a Building Safety Manager who would be an intermediary between the building safety regulator and the accountable person. This was dropped due to cost. Also, the original Bill provided for a building safety charge whereby any costs could be charged to the long leaseholders. This was also dropped and any charges will now be covered by the service charge.

The accountable person will have access rights to individual flats on giving at least 48 hours' notice. There are also offences if anyone removes or disturbs a relevant safety item. Any high risk buildings must be registered with the Building Safety Regulator. The intention is that this will come into force in April 2023 for new builds which will require to be registered before occupancy can occur. The intention is that non new builds will have to be registered between April and October 2023.

Safety Work and Service Charge Caps

In relation to removal of cladding on buildings 18 metres or more in height, this should be covered by the Government's Building Safety Fund. For cladding removal on buildings of 11 metres or more in height, the Government has reached agreement with the construction industry that the developers will pay for the removal. If the developer is no longer in existence then a Government "orphan" fund is available.

For other safety work on residential buildings 11 metres or more in height (excluding anything beneath ground level and any top floor for equipment or machinery), the starting point is that the developer should pay. If the developer can't be found then the building owner will be responsible if they have a net worth of £2 million or more per affected building. There will be a cap on service charge for long leaseholders (of more than 21 years duration) for safety work on 11 metres (or 5 storeys) or more high buildings of £10,000 (or £15,000 in London) in any 10 year period. If the property is valued at between £1 million and £2 million the cap will be £50,000. If over £2 million it will be £100,000. The cap will include legal and professional costs, the cost of any waking watch and arbitration and mediation costs. Any charges which have been made in the previous five years can be taken into account. There cannot be a service charge for liability for safety work if the flat is worth less than £175,000 or £325,000 in London. For the cap to apply the long leaseholder can own up to three properties. These provisions came into force on June 28th 2022.

To be a qualifying long leaseholder everything will be decided on February 14th 2022. The lease must be in existence prior to this date and the value will be that of the flat on this date. Information must be provided by the leaseholder as to the price when the property was last sold.

Qualifying Leaseholders (England only)

To qualify the following requirements must be met on February the 14th 2022:

1. The lease must be of a flat in a block which is at least 11 metres or five storeys in height.
2. The lease must be in existence prior to February the 14th 2022.
3. The leaseholder on February 14th 2022 can always claim for their principal home. They can claim for other properties but only if they own three or less dwellings anywhere in the UK.
4. The value of the property is determined on February 14th 2022. If the flat has been sold since December 31st 2020 then if the sale was on the open market the sale price will be deemed to be the price of the flat. If prior to this date then there is a statutory formula for determining the price.

Relevant Buildings (England only)

To qualify the building must be at least 11 metres or five storeys in height and have at least two dwellings. This will apply to a self-contained building or part of a building which would be able to be developed separately. Mezzanine floor will only count as a storey if it is at least half the size of the largest storey. The legislation does not apply to enfranchised buildings or Resident Management Companies.

Relevant Defects (England only)

The legislation applies if a person's safety is at risk from fire or structural collapse and arises from work done to a building including inappropriate or defective products during construction or later work. The defect in construction work must have occurred in the thirty years prior to June 28th 2022 or the remedial work before or after June 28th 2022. It does not apply to wear or tear or routine maintenance.

Defects in relation to professional services are covered, for example where the designer specified flammable materials.

Under the **Building Safety (Leaseholder Protections) (England) Regulations 2022** the leaseholder must provide a leaseholder deed of certificate in order to pass on any historical safety remediation costs and the building owner, who is usually the immediate landlord, must provide a landlords certificate. Section 5.14.17 of the UK Finance Mortgage Lenders Handbook now requires that the buyer's conveyancer must ask the seller's conveyancer if the flat is subject to a remediation scheme. If so, copies of the Leaseholder deed of certificate and the landlords certificate must be provided.

These provisions apply to England only. We are still awaiting details from the Welsh Government.

Leaseholder's Deed of Certificate

The leaseholder can send this at any time to the landlord. They must also provide it if the landlord notifies them as they are selling the property or of any relevant defect. The certificate must be provided within eight weeks of request although there may be a request for a further four week extension. If the certificate is not provided then the caps on service charge will not apply.

In the certificates the Leaseholder must provide evidence that the property is their principal residence, such as a bank statement, council tax bill or utility bill, and official copies as evidence of the price. If the lease is shared ownership there must be evidence of the share on February 14th 2022.

A Landlord must request a leaseholder's Deed of Certificate within five days of finding a relevant defect of becoming aware that the Leaseholder intends to sell.

The Landlord's Certificate

This can be provided at any time but must be provided by the landlord if they intend to remedy defects, or within four weeks of becoming aware of the sale of the flat, or four weeks after request is made by the tenant. If the landlord becomes aware of further defects then they must notify the tenant within four weeks. If the landlord does not comply with this they will not be able to charge for relevant defects by way of service charge.

It must provide evidence of any group companies, and the net worth of any group companies on February 14th 2022. Accounts must be certified by a chartered accountant or finance director. There must also be details of any work to cure the relevant defects since June 28th 2017. This must include when the work was undertaken, when it was completed and what the cost was.

Form Changes

The LPE1 forms were changed on January 9th 2023. There are now enquiries as to whether a leaseholder deed of certificate has been served on the landlord and whether the landlord certificate has been served and information as to any outstanding enforcement action.

On January the 9th 2023 the TA 7 Leasehold Property Information form was also changed. It now has a section on service charge liability for safety work, Leaseholder deed of certificate and various other information in relation to the qualifying leaseholder. The TA 13 was also amended to include details of electronic passwords and codes.

Section 5. 14.17 of the Lenders Handbook states: Where the security will comprise a leasehold flat you must request the following information from the seller's conveyancer about the safety of the building in which the flat is situated:

- Confirmation as to whether the building has been or will be remediated under the Building Safety Act 2022.
- Copies of any Landlord's Certificates, signed by the Landlord in the form set out in the Building Safety (Leaseholder Protections) (England) Regulations 2022.
- Copies of any executed Leaseholder Deed of Certificate (in the form set out in the Building Safety (Leaseholder Protections) (England) Regulations 2022) and confirmation that they have been submitted by the relevant leaseholder to the landlord.

Nationwide, amongst other things require confirmation that any interim fire safety measures are satisfactory and if the Landlord's certificate cannot be provided, confirmation that the responsible person has complied with current legislative requirement and that there are no fire safety issues.

Barclays require confirmation that any safety work has or will be renewed later, copies of the LPE1 and 2, a copy of the lease which must be more than 21 years, the name of the Leaseholder on February 14th 2022, the Landlord's Certificate and Leaseholder's Deed of Certificate. If the leaseholder states that they own no more than two dwellings then they require a search of the index of proprietors name. Barclays want the information on a remortgage and both Barclays and Nationwide require the information for any flat, not just in blocks of more than 11 metres.

Guarantees

There is also provision whereby if a landlord does not claim off building guarantees then they cannot collect via service charge. This is probably the case already: see **Avon Ground Rents v Cowley (2019)**. New build guarantees will have to last up to 15 years.

REGULATORY REFORM (FIRE SAFETY) ORDER 2005

On 1 October 2006 the **Fire Precautions Act 1971** and a whole raft of employment protection fire safety legislation was repealed and replaced by the responsible person in non-domestic premises requiring a fire safety risk assessment under the **Regulatory Reform (Fire Safety) Order 2005**.

The fire authority is responsible for enforcement and may also serve improvement, alteration and prohibition notices. They will not, however, carry out the risk assessment. At least as frightening as the threat of prosecution, non-compliance with the legislation may well vitiate insurance the next time a policy is up for renewal. Presumably, insurers will require such an assessment before they commit themselves to reinstatement after fire. The prospect of not having insurance will no doubt spur lenders into also requiring such a risk assessment.

Who is responsible?

The person responsible for such an assessment will vary depending on the circumstances, but one thing is abundantly clear, the obligations go far beyond any previous requirement for a fire certificate and are not dependant on size of the enterprise or number of staff. The Office of the Deputy Prime Minister (ODPM) stated that the only non-domestic premises which would not require such an assessment is probably where someone works from home, either self-employed or as an employee and, for good measure, buried in the middle of one hundred and twelve pages of Regulations, the common parts of blocks of flats are (as with the **Control of Asbestos Regulations 2012**) defined as being non-domestic premises. Purchasers must ask for, and landlords provide, a fire safety risk assessment. The prospect of vitiating insurance policies will presumably mean that where no assessment is available, the mortgage lender must be notified and will withdraw any mortgage offer. The fact that a purchasing residential long-leaseholder, who will become a director of a residents management company after completion, will instantly become a criminal might also exercise the mind of the domestic conveyancer and managing agent. In relation to business premises, if an employer is in control of premises occupied by his or her staff, then that will trigger the need for a risk assessment which must assess the risk, including necessary remedial work, not merely for the workforce but any relevant persons, including visitors and neighbouring land owners, who may be affected. A tenant in control of their premises (as will almost certainly be the case) must also have an assessment whether or not they are also an employee, and a landlord who retains control of the common parts will require a quite separate assessment. As the costs of the assessment will inevitably be added to the service charge (as also will the cost of any remedial work provided that the landlords may charge for the carrying out of statutory works), then the tenant must fully enquire as to the landlord's assessment.

As well as the responsible person, there will also be duty holders such as fire assessors, managing agents and fire alarm engineers who may be subjected to criminal offences.

Who carries out the assessment?

The risk assessment is personal to the responsible person and criminal liability cannot be delegated. The assessment must be a satisfactory one and the Government recommend it be done professionally by an expert. The **Building Safety Act 2022** requires the assessment to be done by a competent person. Unless the landlord qualifies a third party must be appointed. There are also requirements to keep records and provide information. The assessment must be a risk based one. Guidance states that if there is a change of circumstances, eg. a fire, more people occupying or building works then there should be another risk assessment.

Note: Strictly speaking, newbuild properties should have fire safety risk assessments although they should of course comply with building regulations. If NHBC are responsible for building control, they should have a separate fire safety assessment.

Note: If the flat is in mixed business residential premises, then each of the commercial units should have a separate fire safety assessment, the CPSE enquiries seem to envisage that the purchaser should see all of these and how the parties have cooperated.

Note: The LPE1 forms ask the landlord to provide the fire safety risk assessment, to confirm that any recommendations have been carried out and if not the insurers have been told.

THE FIRE SAFETY ACT 2021

The Act finally received the Royal Assent on 29 April 2021. It will not come into force until detailed guidance has been provided. The Act clarifies the Regulatory Reform (Fire Safety) Order 2005 and makes clear that a fire safety risk assessment where there are at least two dwellings in a building must include the exterior, structure, external doors and windows, internal doors which open into the common parts, balconies and other external fixtures. Non-compliance may result in prosecution of the responsible person, ie. the landlord, and buildings insurance may be vitiated. The House of Commons successfully rejected a House of Lords amendment whereby the cost of the assessment and any works would not be added to service charge.

The Act came into force in Wales on 1 October 2021 and in England 16 May 2022. On 22 November 2021, the LPE 1 forms changed, partly to reflect this.

Fire Safety (England) Regulations 2022

These came into force in England on January 23rd 2023.

In multi occupied residential buildings of at least 18 metres or 7 or more storeys in height the responsible person must:

- Share electronically with the fire and rescue services details of external wall systems, floor plan and building plan
- Keep hard copies of the floor plan and details of the responsible person in a secure information box
- Have low visibility wayfinding signage
- Inform the fire and rescue service if any fire fighting equipment is out of action for at least 24 hours

For multi occupied residential buildings of 11 or more metres there must be quarterly checks for fire doors and annual checks of flat entrance doors.

THE EWS1 FORM AND EXTERNAL CLADDING

Following the Grenfell Tower disaster in June 2017, mortgage companies naturally became reluctant to lend on flats in blocks which might have combustible cladding. On occasion, valuers were valuing such flats at £0. There was, moreover, no standardisation between the lenders.

The industry's response was the EWS1 (external wall systems) certificate which was introduced in December 2019 after discussion between UK Finance and the Royal Institution of Chartered Surveyors. A recognised property professional with the requisite qualification would carry out an inspection where deemed appropriate and would produce an EWS1 certificate which would be required by the mortgage company. The certificate would last for five years and would only be required for multi-let residential properties of more than 18 metres (c. six storeys) in height. If the cladding was deemed safe then the mortgage company would proceed, it would require the cladding to be replaced, a process which can take a significant amount of time.

Unfortunately, in January 2020, the Ministry of Housing Communities and Local Government muddied the waters somewhat when it produced **Advice for Building Owners of Multi-Storey, Multi-Occupied Residential Buildings**. This suggested that the EWS1 may be appropriate in some multi-let premises of less than 18 metres in height and which do not have external cladding, the issue apparently being high pressure laminate which is causing some concern. This concern increased after it was found to contribute to a fire in a block of halls of residence in Bolton in November 2019. As a consequence of this, some mortgage companies have required the EWS1 on buildings with three storeys and where brick is the building material. This is surely not what was intended.

The real problem is that in early 2020 there were roughly only 300 qualified fire safety inspectors in the country and insurers are not prepared to allow other property professionals to carry out the assessments due to the potential level of liability where there is a claim. Estimates vary but at the higher end there could be up to 3 million flats which may be affected. The certificates can cost upwards of £50,000 and there are examples of landlords or agents (who commission the assessments) being quoted of up to the 10 years for one to become available.

On 28 November 2018 in England (January 2020 in Wales), cladding was finally banned in multi-let residential properties of more than 18 metres in height. If the building was completed under the **2018 Building Regulations** the mortgage company should not require the certificate.

The EWS1 is undergoing review and this cannot come too soon for many, especially at the current time when many are unable to relocate to the countryside from their small city-centre dwellings. If changes are not made soon, some estimate that the level of negative equity in such premises will be greater than during the credit crunch of 2008-2011.

Note: On 22 November 2020 the Ministry of Housing announced that they have reached agreement with the RICS and UK Finance whereby an EWS1 certificate will not be required for buildings without cladding. Many mortgage lenders are saying that they know nothing about this. They are also pointing out that many brick buildings may have cladding behind the brickwork.

On 8 March 2021, the Royal Institution of Chartered Surveyors produced its new guidance note on the valuation of properties in multi-storey multi-occupied residential buildings with cladding. The guidance comes into effect on 5 April 2021, but it is expected that valuers will take it into account immediately.

The guidance is as follows:

- The certificate should be required for buildings over six storeys in height where there is cladding or curtain wall glazing or where there are balconies vertically above one another and both the balustrades and decking are constructed where combustible material such as timber, or where the decking is constructed of combustible material and the balconies are directly linked by combustible material.
- If the building is of five or six storeys in height then a certificate will be required if approximately one quarter of the whole elevation estimated from a viewing at ground level is comprised of cladding, or there is aluminium or metal composite material or high pressure laminate panels on the building or fire risk in relation to balconies as above
- If the building has fewer than five storeys a certificate will be required if there are aluminium or metal composite or high pressure laminate panels on the building

The guidance also makes clear that if the building complies with the **Building (Amendment) Regulations 2018 (or 2020 in Wales)** an EWS1 certificate should not be required.

At first glance this alleviates many of the problems, in particular there are examples of EWS1 certificates being required for three or four storey buildings with brick facades. Hopefully, this will be a thing of the past. However, the original purpose of the EWS1 certificates has been expanded to include high pressure laminate and balconies and not merely combustible cladding. Buildings of less than 18 metres in height may also still require the certificates which was not what was intended when the EWS1 was introduced.

Although a step in the right direction and the guidance has solved the problems for some, do not assume that the issue has gone away.

Note: In addition to the above, several local authorities are either serving or looking at serving improvement notices on landlords in relation to cladding under Part 8 of the **Housing Act 2004** and the Housing Health and Safety Rating System.

Note: On 10 December 2021 the RICS announced that they would not be changing their guidance on buildings of less than 18 metres in height, in spite of Government intending to withdraw their guidance of January 2020.

Note: On 10 January 2022 the Department of Levelling Up withdrew the January 2020 guidance and also announced that for buildings between 11 metres and 18 metres in height they expect the building industry to draw up plans for remedial work. They have until Easter to do this, otherwise they may be faced with legislation. They also announced that they expect such buildings will not be required to have an EWS1 certificate save in exceptional circumstances.

On 16 March 2022 the RICS announced that although the forms were changing their guidance would remain in place. However, they would see a diminishing need for the EWS1 when the Fire Safety Act risk assessments conducted under the **Fire Safety Act 2021** together with any works required have been carried out.

New RICS guidance was introduced in December 2022. On the basis of this Lloyds bank announced on December the 19th, that if a remediation notice was in place they would not require an EWS1. In January 2023 Santander, Barclays, Nationwide, HSBC and National Westminster have announced that if a remediation plan is in place an EWS1 would not be required and some will not require an EWS1 if a remediation plan might become available.

Copyright © Davitt Jones Bould (“DJB”) and Richard Snape 2022

All rights reserved by the author and DJB. The text of this publication, or any part thereof, may not be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, storage in an information retrieval system, or otherwise, without prior permission of DJB.

While DJB has taken all reasonable care in the preparation of this publication DJB makes no representation, express or implied, with regard to the accuracy of the information contained in this publication and cannot accept any legal responsibility or liability for any errors or omissions from the publication or the consequences thereof.

Products and services that are referred to in this publication may be either trademarks and/or registered trademarks of their respective owners. The publisher and author/s make no claim to these trademarks.

Published January 2022

DISCLAIMER

This oral presentation including answers given in any question and answer session (“the presentation”) and this accompanying paper are intended for general purposes only and should not be viewed as a comprehensive summary of the subject matters covered. Nothing said in this presentation or contained in this paper constitutes legal or other professional advice and no warranty is given nor liability accepted for the contents of the presentation or the accompanying paper. Richard Snape and Davitt Jones Bould will not accept responsibility for any loss suffered in consequence of reliance on information contained in the presentation or paper.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical or otherwise without the prior written permission of Davitt Jones Bould. www.djblaw.co.uk.

Davitt Jones Bould is the trading name of Davitt Jones Bould Limited. Registered in England (company registration No 6155025) Registered Office: Level 24 The Shard, 32 London Bridge Street, London, SE1 9SG. A list of Directors is available for inspection at the registered office. This firm is authorised and regulated by the Solicitors Regulation Authority.

© Davitt Jones Bould and Richard Snape 2022